

MAPLUSFLUORINE EXPERTS

From the passion for skiing and the mastery of the fluorine chemistry Maplus, a division specialized in ski wax and technical accessories for ski preparation, was born in 1997.

Thanks to the synergies with the industrial chemical research of Maflon SPA, a dynamic and innovative company specialized in the production of high-tech fluorinated products, owned by Mazza Holding of Castelli Calepio (Bg), this industrial company, 100% Italian, in just twenty years, braving more long-lived competitors out, has managed to reach a leading position in high-level competitions.


Since its debut in the cross-country World Championship in Ramsau in 1998, with the novelty of a perfluorinated liquid product, up to the successes of the Pyeongchang Olympics in 2017 and Åre 2019, Maplus has become, with its perfluorinated products, the reference in terms of gliding and durability in the ski and snowboard World Cups.

We can declare with satisfaction that today Maplus waxes are used in competition by all the National Teams and by all the ski companies present in the World Cup!

And yet Maplus does not care only of athletes and their results: the experience gained at the highest level has allowed us to develop a complete line of wax ideal to meet the needs of any skier and snowboarder, from the freeride addicted to the beginner who wants an easy to manage equipment, up to the needs of the professional laboratories for the rentals.

















XLS EXTRA LONG LASTING SPEED

relative air humidity over 50%.

MW0894N CODE: 50 ml SIZE

Liquid accelerator for competition. Use with any type of artificial snow and natural snow from new moist to old transformed, icy and wet with temperatures from 0 ° to -6 °C and

Liquid accelerator for competition. Use with any type of artificial snow and natural snow from powder to transformed compact and icy with temperatures from -6° to -12°C and

SNOW TEMP: **HUMIDITY**:

0°/-6° C 50 / 100%



XLS EXTRA LONG LASTING SPEED

relative air humidity over 50%.

PRODUCTS CODE: MW0896N

SNOW TEMP: - 6°/ - 12° C **HUMIDITY**: 50 / 100%



FP4 PERFLUORINATED POWDER WAX

MW0840N CODE: 30 gr

- 22°/ - 8° C SNOW TEMP: **HUMIDITY**: 30 / 70% APPLICATION: 160°C ≤



Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -22°C to -8°C. Air humidity from 30% to 70%. Recommended hot application with waxing iron at 160°C.



FP4 PERFLUORINATED POWDER WAX

CODE: MW0843N SIZE

30 gr

- 16°/ - 2° C SNOW TEMP: **HUMIDITY**: 40 / 80% 160 °C ≤ APPLICATION:

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -16°C to -2°C. Air humidity from 40% to 80%. Good also on icy hard snow in springtime condition. Recommended hot application with waxing iron at 160°C.



FP4 PERFLUORINATED POWDER WAX PRODUCTS CODE: SIZE 30 gr

SNOW TEMP: -9°/-2° C 60 / 100% 160 °C 与 **HUMIDITY**: APPLICATION:

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -9°C to -2°C. Air humidity from 60% to 100%. Recommended hot application with waxing iron at 160°C.



FP4 PERFLUORINATED POWDER WAX

MW0842N CODE: 30 gr SIZE:

- 3°/ 0° C 60 / 100% SNOW TEMP: **HUMIDITY**: APPLICATION: 160°C ≤

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -3°C to 0°C. Air humidity from 60% to 100%. Recommended hot application with waxing iron at 160°C.





FP4PERFLUORINATED LIQUID WAX

FP4 COLD
CODE: MW0850N
SIZE: 50 ml

SNOW TEMP: HUMIDITY:

- 22°/ - 8° C 30 / 70%



Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -22°C to -8°C. Air humidity from 30% to 70%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.



MAPLUS
FPA

> ESCRIBORIAN

LIQUID
ESSENTIABLE
GLE WAS

SUPERHED

Mari 9-187 27

FP4PERFLUORINATED LIQUID WAX

FP4 SUPERMEI
CODE: MW0853N
SIZE: 50 ml

SNOW TEMP: -HUMIDITY: 40

- 16°/ - 2° C 40 / 80%

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -16°C to -2°C. Air humidity from 40% to 80%. Good also on icy hard snow in springtime condition. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.



MAPLUS

FP4

> COPULIERANT (
LIQUID

FPS (DENAITS)

BALE

TOM (a 197.75

FP4PERFLUORINATED LIQUID WAX

FP4 MED
CODE: MW0851N
SIZE: 50 ml

SNOW TEMP: HUMIDITY:

- 9°/ - 2° C 60 / 100%

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -9°C to -2°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.



MAPLUS

C. FULLOWING

LIQUID

RESTAURANT

CLIQUID

RESTAURANT

MOT

Not a 370%

FP4PERFLUORINATED LIQUID WAX

FP4 HOT CODE: MW0852N SIZE: 50 ml

SNOW TEMP: HUMIDITY:

- 3°/ 0° C 60 / 100%

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -3°C to 0°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.





FP4 PERFLUORINATED SOLID WAX **PRODUCTS** FP4 COLD CODE: MW0860N SIZE: 20 gr

SNOW TEMP: **HUMIDITY**:

- 22°/ - 8° C 30 / 70%

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -22°C to -8°C. Air humidity from 30% to 70%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers. Also hot application with waxing iron at 160°C is suitable, if the products is spread in a thick layer.



FP4 PERFLUORINATED SOLID WAX **PRODUCTS** FP4 SUPERMED CODE: MW0863N

SNOW TEMP: **HUMIDITY**:

- 16°/ - 2° C 40 / 80%

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -16°C to -2°C. Air humidity from 40% to 80%. Good also on icy hard snow in springtime condition. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers. Also hot application with waxing iron at 160°C is suitable, if the products is spread in a thick layer.

PRODUCT



FP4 PERFLUORINATED SOLID WAX

FP4 MED MW0861N CODE: SIZE 20 gr

SNOW TEMP: **HUMIDITY**:

- 9°/ - 2° C 60 / 100%

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -9°C to -2°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers. Also hot application with waxing iron at 160°C is suitable, if the products is spread in a thick layer.



FP4 PERFLUORINATED SOLID WAX

FP4 HOT CODE: MW0862N SIZE: 20 gr

SNOW TEMP: **HUMIDITY**:

- 3°/ 0° C 60 / 100%

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -3°C to 0°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers. Also hot application with waxing iron at 160°C is suitable, if the products is spread in a thick layer.



FLASH FLUORINATED LIQUID POLYMER HIGH SPEED ACCELERATOR

YELLOW FLASH

MW0662N CODE: SIZE:

SNOW TEMP: -3°/0°C **HUMIDITY**:

60 / 100%

Fluorinated liquid polymer for racing. Use for wet, water-ice and icy snow from -3° to 0°C with completely transformed snow crystal with medium and big grain. It works great from hard coarse snow to wet snow and in all intermediate conditions while step by step the sun melts the snow. The Yellow Flash is also the best in raining conditions but only if it's raining over completely transformed snow as above mentioned. If it's snowing with new big moist and wet flakes together with raining on new moist and polish snow, Yellow Flash does not work. It needs at least one day of snow transformation then it works greatly. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder waxes or on fluorinated paraffins. Recommended cold application with the felt cap-applicator.





HP3



HP3 GREEN POWDER

CODE: MW0900N SIZE: 50 gr SNOW TEMP: HUMIDITY: APPLICATION:

- 30°/ - 10° C 50 / 90% 160 °C 与

High fluoro powder paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for snow from -30°C to -10°C. Air humidity from 50% to 90%. This paraffin can be used alone as above mentioned or as an hardener for the high fluorinated paraffins HP3 VIOLET and HP3 RED in case of abrasive new or conserved

snow or mixed with artificial snow. Use hot application with the waxing iron at 160°C.

PRODUCTS

PRODUCTS

PRODUCTS

PRODUCTS





HIGH FLUORINATED PARAFFIN

HP3HIGH FLUORINATED PARAFFIN

HP3 BLUE MOLY COLD ADDITIVE

CODE: MW0901MN - 50 g CODE: MW0911MN - 250 gr CODE: MW0921MN - 1 kg SNOW TEMP: - 25°/ - 10° C HUMIDITY: 50 / 90% APPLICATION: 150° / 160 °C △

High fluoro solid paraffin with moly for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for old abrasive dry snow with temperature from -25°C to -10°C. Air humidity from 50% to 90%. Excellent during a long period without snow falling and with dirty snow. This paraffin can be also used as a moly hardener for HP3 VIOLET and HP3 RED in case of old, abrasive, windy and dirty snow, both natural and artificial. Use hot application with the waxing iron at 150°/160°C.





HP3 HIGH FLUORINATED PARAFFIN

HP3 VIOLET

CODE: MW0902N - 50 gr CODE: MW0912N - 250 gr CODE: MW0922N - 1 kg SNOW TEMP: - 12°/ - 6° C HUMIDITY: 60 / 100% APPLICATION: 140° / 150 °C

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -12°C to -6°C. Air humidity from 60% to 100%. In case of new or conserved abrasive snow and artificial snow, mix HP3 VIOLET with HP3 GREEN or LP2 GREEN if the humidity is lower. Use hot application with the waxing iron at 140°/150°C.





HP3HIGH FLUORINATED PARAFFIN

HP3 RED

CODE: MW0903N - 50 gr CODE: MW0913N - 250 gr CODE: MW0923N - 1 kg SNOW TEMP: -7°/-3° C HUMIDITY: 60 / 100% APPLICATION: 130° / 140° C 与

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -7°C to -3°C. Air humidity from 60% to 100%. In case of new or conserved abrasive snow, artificial snow and springtime icy snow, mix HP3 RED with HP3 GREEN or LP2 GREEN if the humidity is lower. Use hot application with the waxing iron at 130°/140°C.

RACE LINE







HP3

PRODUCTS

HIGH FLUORINATED PARAFFIN

HP3 YELLOW 1

CODE: MW0904N - 50 gr CODE: MW0914N - 250 gr CODE: MW0924N - 1 kg SNOW TEMP: - 4°/ 0° C HUMIDITY: 60 / 100% APPLICATION: 110° / 120 °C

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for new moist not wet snow with temperature from -4°C to 0°C. Air humidity from 60% to 100%. Is the only choice with polish and sticky snow. Use hot application with the waxing iron at 110°/120°C.





HP3

PRODUCTS

HIGH FLUORINATED PARAFFIN

HP3 YELLOW 2

CODE: MW0905N - 50 gr CODE: MW0915N - 250 gr CODE: MW0925N - 1 kg 出 HUMIDITY: 60 / 100% APPLICATION: 120° / 130°C 后

SNOW TEMP:

SNOW TEMP:

SNOW TEMP:

APPLICATION:

HUMIDITY:

- 5°/ - 1° C

- 4°/ 0° C

- 3°/ 0° C

60 / 100%

100° / 110°C 5

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for transformed snow, not wet and springtime icy, with temperature from -5°C to -1°C. Air humidity from 60% to 100%. Use hot application with the waxing iron at 120°/130°C.





HP3

HIGH FLUORINATED PARAFFIN

HP3 ORANGE 1

CODE: MW0906N - 50 gr CODE: MW0916N - 250 gr CODE: MW0926N - 1 kg HUMIDITY: 60 / 100%
APPLICATION: 120° / 130 °C 🗁

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for springtime icy and grainy snow, but little wet, with temperature from -4°C to 0°C. Air humidity from 60% to 100%. Use hot application with the waxing iron at 120°/130°C.





Н

PRODUCTS

HIGH FLUORINATED PARAFFIN

HP3 ORANGE 2

CODE: MW0907N - 50 gr CODE: MW0917N - 250 gr CODE: MW0927N - 1 kg SNOW TEMP: - 3°/ 0° C HUMIDITY: 60 / 100% APPLICATION: 100° / 110 °C 与

See before applying fluorocarbon waxes FP4. Use for clean wet snow, with temperatur

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for clean wet snow, with temperature from -3° C to 0° C. and rainy conditions. Air humidity from 60° to 100° . Use hot application with the waxing iron at $100^{\circ}/110^{\circ}$ C.





HP3

HIGH FLUORINATED PARAFFIN

HP3 ORANGE 2 MOLY HOT ADDITIVE

CODE: MW0907MN - 50 gr CODE: MW0917MN - 250 gr CODE: MW0927MN - 1 kg

High fluoro solid paraffin with moly for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for wet snow and dirty snow from -3°C to 0°C. and rainy conditions. Air humidity from 60% to 100%. This paraffin can be used as a moly additive for HP3 RED, YELLOW 2, and ORANGE 1 in case of old dirty snow, both natural and artificial. Use hot application with the waxing iron at 100°/110°C.





LP2



PRODUCTS CODI

LP2 GREEN POWDER

CODE: MW098 SIZE: 100 gr 0N

SNOW TEMP: HUMIDITY: APPLICATION: - 30°/ - 10° C 20 / 60% 160 °C 🗁

Fluorinated powder paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for fine-abrasive snow from -30°C to -10°C. Air humidity from 20% to 60%. This paraffin can be also used as an hardener for paraffins LP2 VIOLET and LP2 RED or HP3 VIOLET and HP3 RED in case of new or conserved abrasive snow and mixed with artificial snow. Use hot application with the waxing iron at 160°C.





MEDIUM FLUORINATED PARAFFIN

PRODUCTS

LP2 MEDIUM FLUORINATED PARAFFIN

LP2 BLUE

CODE: MW0951N - 100 gr CODE: MW0961N - 250 gr CODE: MW0971N - 1 kg SNOW TEMP: - 25°/ - 10° C HUMIDITY: 20 / 60% APPLICATION: 150° / 160 °C

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for old transformed snow, with temperature from -25°C to -10°C. Air humidity from 20% to 60%. Excellent during a long period without snow falling. Use hot application with the waxing iron at 150°/160°C.





PRODUCTS

LP2MEDIUM FLUORINATED PARAFFIN

LP2 VIOLET

CODE: MW0952N - 100 gr CODE: MW0962N - 250 gr CODE: MW0972N - 1 kg SNOW TEMP: HUMIDITY: APPLICATION: - 12°/ - 6° C 20 / 60% 140° / 150 °C 与

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -12°C to -6°C. Air humidity from 20% to 60%. In case of new or conserved abrasive snow and artificial snow, mix LP2 VIOLET with LP2 GREEN. Use hot application with the waxing iron at 140°/150°C.





PRODUCTS

LP2 MEDIUM FLUORINATED PARAFFIN

LP2 RED

CODE: MW0953N - 100 gr CODE: MW0963N - 250 gr CODE: MW0973N - 1 kg | SNOW TEMP: - 7°/ - 3° C | HUMIDITY: 30 / 60% | APPLICATION: 130° / 140 °C ←

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -7°C to -3°C. Air humidity from 30% to 60%. In case of new or conserved abrasive snow, artificial snow and springtime icy snow, mix LP2 RED with LP2 GREEN. Use hot application with the waxing iron at 130°/140°C.









LP2 MEDIUM FLUORINATED PARAFFIN PRODUCTS

LP2 YELLOW

-5°/ -1° C SNOW TEMP: 30 / 60% **HUMIDITY**: APPLICATION: 110° / 120 °C 5

CODE: MW0954N - 100 gr MW0964N - 250 gr CODE: MW0974N - 1 kg CODE:

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow, not wet, with temperature from -5°C to -1°C. Air humidity from 30% to 60%. Use hot application with the waxing iron at 110°/120°C.





LP2 MEDIUM FLUORINATED PARAFFIN

LP2 ORANGE

MW0955N - 100 gr MW0965N - 250 gr MW0975N - 1 kg

- 4°/ 0° C 30 / 60% SNOW TEMP: HUMIDITY: APPLICATION:

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of wet snow with temperature from -4°C to 0°C and rainy conditions. Air humidity from 30% to 60%. Use hot application with the waxing iron at 100°/110°C.

CODE:

CODE:

CODE:

PRODUCTS

CLEANER LINE







CLEANER

FLUORCLEAN

MW0750N - 150 ml -SPRAY MW0751N - 0,5 lt - LIQUID CODE: CODE: CODE: MW0752N - 1 lt - LIQUID

Liquid cleaner to remove residuals of any type of perfluorinated wax and the dirt collected during activity.

CLEANER

PRODUCTS

PRODUCTS

CLEAN

MW0755 - 150 ml - SPRAY CODE: MW0756 - 0,5 lt - LIQUID

MW0757 - 1 lt - LIQUID MW0758 - 4,9 lt - LIQUID CODE:

Liquid cleaner to remove residuals of any type of paraffin (fluorinated paraffin included) and the dirt collected during activity.









RACINGBASE PARAFFIN

PRODUCTS

ARCTIC BASE

SNOW TEMP: - 30° APPLICATION: 160

CODE: MW1000 - POWDER - 100 gr

CODE: MW0810 - 250 gr CODE: MW0820 - 1 kg

Powder and solid paraffin for training use and racing. Use for new, fine, abrasive snow with temperature from -30°C to -10°C. In case of very abrasive old icy snow (spring snow and glacier snow), this paraffin can be used over the fluorocarbon waxes FP4 to increase their long lasting. The final result will be a lower hydrophobia. It can also be used as universal hardener to protect the polyethylene base along the steel edges foils in case of natural or artificial very abrasive snow. Use hot application with the waxing iron at 160°C.

PRODUCTS

PRODUCTS



RACINGBASE PARAFFIN

MED BASE

CODE: MW0870 - 250 gr CODE: MW0875 - 1 kg SNOW TEMP: - 10°/ - 5° C APPLICATION: 130° / 140 °C 与

Solid base paraffin for any type of snow with temperature from -10°C to -5°C. It's an excellent product for the protection of racing ski bases and it can be used as universal training and testing base. Use hot application with the waxing iron at 130°/140°C.



RACING BASE PARAFFIN

SOFT BASE

CODE: MW0871 - 250 gr CODE: MW0876 - 1 kg SNOW TEMP: - 5°/ 0° C
APPLICATION: 120° / 130 °C

Solid base paraffin for any type of snow with temperature from -5°C to 0°C. It's an excellent product for the saturation and the protection of racing ski bases and it can be used as universal training and testing base. It has a melting point of 60°C so it's the best product for the hot saturation of polyethylene ski bases with the thermo-box or the thermo-cover. Use hot application with the waxing iron at 120°/130°C.



RACINGBASE PARAFFIN

XSOFT BASE

CODE: MW0873 - 250 gr CODE: MW0878 - 1 ka SNOW TEMP: -2°/ 0° C APPLICATION: 110° / 120 °C △

Solid base paraffin for any type of snow with temperature from -2°C to 0°C. It's an excellent product for the saturation and the protection of racing ski bases. It has a melting point of 48°C so it's a very good product for the hot saturation of polyethylene ski bases with the thermo-box or the thermo-cover. Use hot application with the waxing iron at 110°/120°C.





SPORT LINE







LP15 LOW FLUORINATED PARAFFIN

LP15 VIOLET

CODE: MW0400N - 100 gr CODE: MW0410N - 250 gr CODE: MW0420N - 1 kg AIR TEMP: - 19°/ - 9° C HUMIDITY: > 50 %

APPLICATION: 50 %

APPLICATION: 140° / 150 °C

Low fluoro solid paraffin for training use and leisure. Use for all type of snow, with temperature from -19°C to -9°C. Performancing use with air humidity > 50%. Use hot application with the waxing iron at 140°/150°C.

PRODUCTS

PRODUCTS

PRODUCTS







LP15
LOW FLUORINATED PARAFFIN

LP15 RED

CODE: MW0401N - 100 gr CODE: MW0411N - 250 gr CODE: MW0421N - 1 kg AIR TEMP: - 9°/ - 3° C HUMIDITY: > 50 %

HUMIDITY: > 50 %
APPLICATION: 130° / 140 °C 与

Low fluoro solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -9° C to -3° C. It's an excellent product for the protection of ski bases and it can be used as universal racing and training base. Performancing use with air humidity > 50%. Use hot application with the waxing iron at 130 $^{\circ}$ /140 $^{\circ}$ C.







LP15 LOW FLUORINATED PARAFFIN

LP15 YELLOW

CODE: MW0402N - 100 gr CODE: MW0412N - 250 gr CODE: MW0422N - 1 kg AIR TEMP: - 3°/ + 9° C HUMIDITY: > 50 %

APPLICATION: 120° / 130 °C

Low fluoro solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -3° C to $+9^{\circ}$ C. Performancing use with air humidity > 50%. Use hot application with the waxing iron at 120°/130°C.







BP10HYDRO CARBON PARAFFIN

BP10 VIOLET

CODE: MW0300 - 100 gr CODE: MW0310 - 250 gr CODE: MW0320 - 1 kg AIR TEMP: - 19°/ - 9° C HUMIDITY: < 50 %

APPLICATION: 450 %

Solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -19°C to -9°C. Performancing use with air humidity < 50%. Use hot application with the waxing iron at 140°/150°C.

PRODUCTS

PRODUCTS

PRODUCTS





BP10HYDRO CARBON PARAFFIN

BP10 RED

CODE: MW0301 - 100 gr CODE: MW0311 - 250 gr CODE: MW0321 - 1 kg AIR TEMP: - 9°/ - 3° C HUMIDITY: < 50 %

APPLICATION: 130° / 140 °C

Solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -9° C to -3° C. It's an excellent product for the protection of ski bases and it can be used as universal racing and training base. Performancing use with air humidity < 50%. Use hot application with the waxing iron at 130°/140°C.






BP10HYDRO CARBON PARAFFIN

BP10 YELLOW

CODE: MW0302 - 100 gr CODE: MW0312 - 250 gr CODE: MW0322 - 1 kg AIR TEMP: - 3°/ + 9° C HUMIDITY: < 50 % APPLICATION: 120° / 130 °C △

Solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -3° C to $+9^{\circ}$ C. Performancing use with air humidity < 50%. Use hot application with the waxing iron at 120°/130°C.





PERFORMANCE LINE





LIQUID SKIWAX HIGH FLUORINATED PARAFFIN

HP3 COLD

SNOW TEMP:

HUMIDITY:

PRODUCTS

PRODUCTS

CODE: MW0930N - 75 ml CODE: MW0940N - 0,5 lt **HP3 MED**

SNOW TEMP:

HUMIDITY:

CODE: MW0931N - 75 ml CODE: MW0941N - 0,5 lt **HP3 HOT**

CODE: MW0932N - 75 ml CODE: MW0942N - 0,5 lt

SNOW TEMP: - 3°/ 0° C HUMIDITY: 60/100%

High fluorinated liquid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4.

- 9°/ - 2° C

60/100%

HP3 COLD Use for any type of snow from -22°C to -8°C. Air humidity from 60% to 100%. Use for any type of snow from -9°C to -2°C. Air humidity from 60% to 100% Use for any type of snow from -3°C to 0°C. Air humidity from 60% to 100%.

Use cold application with manual cork and manual brush.

- 22°/ - 8° C

60/100%





LIQUID SKIWAX FLUORINATED PARAFFIN

LP2 COLD

CODE: MW0980N - 75 ml CODE: MW0983N - 150 ml CODE: MW0986N - 0,5 lt

SNOW TEMP: - 22°/ - 8° C HUMIDITY: 30/60%

LP2 MED

CODE: MW0981N - 75 ml CODE: MW0984N - 150 ml CODE: MW0987N - 0,5 lt

SNOW TEMP: - 9°/ - 2° C HUMIDITY: 30/60%

LP2 HOT

CODE: MW0982N - 75 ml CODE: MW0985N - 150 ml CODE: MW0988N - 0,5 lt

SNOW TEMP: - 3°/ - 0° C HUMIDITY: 30/60%

Fluorinated liquid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4.

LP2 COLD Use for any type of snow from -22°C to -8°C. Air humidity from 30% to 60%. Use for any type of snow from -9°C to -2°C. Air humidity from 30% to 60%. LP2 HOT Use for any type of snow from -3°C to 0°C. Air humidity from 30% to 60%.

Use cold application with manual cork and manual brush.

PRODUCTS

LIQUID SKIWAX HYDROCARBON PARAFFIN

BP1 COLD

CODE: MW0830 - 75 ml CODE: MW0833 - 150 ml CODE: MW0836 - 0.5 lt

SNOW TEMP: - 22°/ - 8° C HUMIDITY: < 40%

BP1 MED

CODE: MW0831 - 75 ml CODE: MW0834 - 150 ml CODE: MW0837 - 0.5 lt

SNOW TEMP: - 9°/ - 2° C HUMIDITY: < 40%

BP1 HOT

CODE: MW0832 - 75 ml CODE: MW0835 - 150 ml CODE: MW0838 - 0,5 lt

SNOW TEMP: - 3°/ 0° C HUMIDITY: < 40%



BP1 COLD Use for any type of snow from -22°C to -8°C. Racing use with air humidity < 40%. Use for any type of snow from -9°C to -2°C. Racing use with air humidity < 40%.

It can be used as universal training product.

BP1 HOT Use for any type of snow from -3°C to 0°C. Racing use with air humidity < 40%.

Use cold application with manual cork and manual brush.







LIQUID SKIWAX GLIDING LIQUID KIT

BP1 KIT 3 x 75 ml

MW0839

CODE:

Liquid paraffin for training use and leisure.

BP1 COLD Use for any type of snow from -22°C to -8°C. Racing use with air humidity < 40%..

Use for any type of snow from -9°C to -2°C. Racing use with air humidity < 40%.

It can be used as universal training product.

BP1 HOT Use for any type of snow from -3°C to 0°C. Racing use with air humidity < 40%.

Use cold application with manual cork and manual brush.



BP1 COLD KIT

CODE: MW0201

PRODUCTS

SNOW TEMP: - 22°/ - 8° C HUMIDITY: < 40%

 Kit with MT0111 (cork/nylon brush)



BP1 MED KIT

CODE: MW0202

SNOW TEMP: - 9°/ - 2° C HUMIDITY: < 40%

 Kit with MT0111 (cork/nylon brush)



BP1 HOT KIT

CODE: MW0203

SNOW TEMP: - 3°/ 0° C HUMIDITY: < 40%

 Kit with MT0111 (cork/nylon brush)



UNIVERSAL FLUORO

CODE: MW0200N

 Kit with MT0111 (cork/nylon brush)



SKIN & GLIDE TOP KIT

CODE: MW0206

Kit with:

MW0830 (BP1 Cold 75 ml) Snow Temp. -22°C to -8°C. Air humidity < 40%. MW0831 (BP1 Med 75 ml) Snow Temp. - 9°C to -2°C. Air humidity < 40%. MW0832 (BP1 Hot 75 ml) Snow Temp. - 3°C to 0°C. Air humidity < 40%. MW0755 (Clean 150 ml) MT0000 (Fiberland tane)

MTO900 (Fiberlene tape) MTO111 (cork/nylon brush)

professional gliding result.

High quality universal liquid paraffin for training, sporting use and leisure. Thanks to the different wax versions included in this kit, it can be used for all type of snow. The product has a felt cap applicator to allow a quick waxing "last minute" operation with great gliding and long lasting, on ski sole and even on skin skis. Otherwise the useful cork/nylon brush let allows to have a

ALPINE/NORDIC/SNOWBOARD







DISPLAY BOX LIQUID

CODE: MW0718N SIZE: 12 pz x 75 ml

PRODUCTS

PRODUCTS

PRODUCTS

3 SNOW TEMP:

- 15°/ 0° C

High quality universal liquid paraffin for sporting use and leisure. Use for all type of snow. The product has a felt cap applicator to allow a quick waxing "last minute" operation with great gliding and long lasting.





SUPER GLIDE WAX

DISPLAY BOX CREAM

CODE: MW0724N SIZE: 12 pz x 75 ml

SNOW TEMP:

- 15°/ 0° C

High quality universal low fluoro glide wax. Ideal for sporting and leisure in all conditions. Quick application with the sponge-cap included by rubbing and pressing. Then for best results polish the base with a horsehair or nylon brush.



UNIVERSAL FLUORO

SUPER GLIDE WAX

CREAM

CODE: MW0722N SIZE: 250 ml

SNOW TEMP:

- 15°/ 0° C

High quality universal low fluoro glide wax. Ideal for sporting and leisure in all conditions. Quick application with the sponge included by rubbing and pressing. Then for best results polish the base with a horsehair or nylon brush.



UNIVERSAL SUPER GLIDE WAX

SOLID


PRODUCTS


CODE: MW0728 SIZE: 100 gr

SNOW TEMP: APPLICATION:

- 15°/ 0° C 130° / 140°C

Universal all temperature high quality paraffin glide wax for sporting and leisure in all conditions. Use hot application with the waxing iron at 130°/140°C. Also ideal for rub-on and go application!





UNIVERSAL LINE



UNIVERSAL SOLID UNIVERSAL WAX LINE

PRODUCTS RED

MW0700 - 100 gr CODE: CODE: MW0702 - 1 kg

SNOW TEMP: APPLICATION:

- 15°/ - 5° C

Universal solid paraffin for sporting use and leisure. Use for all type of snow, not moist and wet, with temperature from -15°C to -5°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 130°/140°C or with professional waxing machines.



UNIVERSAL SOLID UNIVERSAL WAX LINE

PRODUCTS YELLOW

MW0701 - 100 gr CODE: MW0703 - 1 kg CODE:

SNOW TEMP: APPLICATION:

-5°/0°C

Universal solid paraffin for sporting use and leisure. Use for all type of moist and wet snow, with temperature from -5°C to 0°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 110°/120°C or with professional waxing machines.



UNIVERSAL SOLID FLUORINATED UNIVERSAL WAX LINE

RED FLUORO

PRODUCTS

CODE: MW0705N - 100 gr MW0707N - 1 kg CODE:

SNOW TEMP: APPLICATION:

- 15°/ - 5° C 130° / 140 °C F

Universal fluorinated solid paraffin for sporting use and leisure. Use for all type of snow, not moist and wet, with temperature from -15°C to -5°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 130°/140°C or with professional waxing machines.



UNIVERSAL SOLID FLUORINATED UNIVERSAL WAX LINE

YELLOW FLUORO

MW0706N - 100 gr CODE: MW0708N - 1 kg CODE:

SNOW TEMP: APPLICATION:

-5°/0°C 110° / 120 °C 屆

Universal fluorinated solid paraffin for sporting use and leisure. Use for all type of moist and wet snow, with temperature from -5°C to 0°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 110°/120°C or with professional waxing machines.





UNIVERSAL BACKSHOP GRANULAR AND SOLID WAX

COLD

CODE: MW0709 - 1 Kg CODE: MW0710 - 5 kg CODE: MW0712 - 20 kg

SNOW TEMP: - 15°/ -5° C

Universal solid and granular paraffin for all type of winter snow, not moist and wet, from temperature -15°C to -5°C.It's a product especially suitable for rentals and laboratories. Use hot application with professional waxing machines.

UNIVERSAL BACKSHOP

GRANULAR AND SOLID WAX

HOT

PRODUCTS

CODE: MW0714 - 1 Kg CODE: MW0711 - 5 kg CODE: MW0713 - 20 kg

SNOW TEMP: $-5^{\circ}/0^{\circ}$ C

Universal solid and granular paraffin for all type of moist and wet snow from temperature -5°C to 0°C. It's a product especially suitable for rentals and laboratories. Use hot application with professional waxing machines.



UNIVERSAL LIQUID UNIVERSAL WAX LINE

UNIVERSAL LIQUID

CODE: MW0715 - 1 lt CODE: MW0716 - 4.9 lt

Universal liquid paraffin for sporting use and leisure. Use for all type of snow. It's a product especially suitable for rentals and laboratories. Use cold application with brush and manual cork.

PRODUCTS



ANTI ICE
UNIVERSAL WAX LINE

PRODUCTS

ANTI ICE
CODE: MW0732
SIZE: 150 ml

Special silicone spray made to prevent the grip waxes from freezing or to avoid ice formation on the kick zone of no-wax ski. It's also useful to avoid ice formation on the serigraphy and the side of any type of ski. Cold application.







UNIVERSAL TOUR TOURING SKIN & BASE WAX

DISPLAY BOX LIQUID

CODE: MW0747 SIZE:

PRODUCTS

PRODUCTS

PRODUCTS

12 pz x 75 ml

SNOW TEMP:

- 15°/ 0° C

High quality universal liquid paraffin for sporting use on ski-alp skins and ski bases with every kind of snow. The product has a felt cap applicator that allows quick cold "last minute" waxing with great gliding and long lasting.



UNIVERSAL TOUR RACING SKIN WAX

BLUE BOOST RUB-ON

CODE: MW0748N SIZE: 20 gr

SNOW TEMP:

- 20°/ - 5° C

APPLICATION:

Fluorocarbon special solid mix for waxing ski-alp racing skins. Use for every cold snow from -20°C to -5°C. Recommended cold application by rubbing over the skin. To obtain even higher durability some quick passages with waxing iron at 150° C can be made (exclusively on pure mohair skins).



UNIVERSAL TOUR RACING SKIN WAX

RED BOOST RUB-ON

CODE: MW0749N SIZE: 20 gr

SNOW TEMP:

-5°/0°C

APPLICATION:

Fluorocarbon special solid mix for waxing ski-alp racing skins. Use for every warm and wet snow from -5°C to 0°C. Recommended cold application by rubbing over the skin. To obtain even higher durability some quick passages with waxing iron at 150° C can be made (exclusively on pure mohair skins).



PRODUCTS

UNIVERSAL TOUR TOURING SKIN & BASE WAX

UNIVERSAL SKIN SPRAY


CODE: MW0745 SIZE: 250 ml

SNOW TEMP:

- 15°/ 0° C

Universal spray polymer for skin protection from icing and dirt, improving gliding properties. For all snow conditions.





GRIP WAX LINE



GRIPWAX BASE

ORANGE S10 CODE: MW0S10 SIZE: 45 gr

ALL AIR TEMP - STICKBASE

Stick base to be used always as first layer of solid waxes with fine falling snow and new aggressive snow little transformed or mixed with artificial snow. It works with every air temperature.



GRIPWAX

PRODUCTS

GREEN S11 CODE: MW0S11 45 gr SIZE:

AIR TEMP:

Stick wax to be used with fine falling snow and new aggressive

- 16°/ - 8° C 😽

snow little transformed or mixed with artificial snow. It works with air temperature from -16°C to -8°C.



GRIPWAX

DARK BLUE S12

CODE: MW0S12 45 gr SIZE:

AIR TEMP: - 10°/ - 6° C

Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -10° C to



GRIPWAX

LIGHT BLUE S13 CODE: MW0S13 45 gr SIZE:

AIR TEMP: -5°/-3° C

> Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -5° C to -3°C.



PRODUCTS

GRIPWAX BASE GREEN K10 CODE: MW0K10

60 gr

AIR TEMP:

SIZE:

- 7°/ - 1° C

Klister to be used with transformed snow with big crystals and with icy coarse snow or mixed with artificial snow. It works with air temperature from -7°C to -1°C. Moreover it must always be used as first layer (base klister) for all klister wax with any temperature.



PRODUCTS

GRIPWAX BLUE K11 CODE: MW0K11 SIZE: 60 gr

Klister to be used with

transformed snow with big

crystals and with icy coarse

snow or mixed with artificial

snow. It works with air

temperature from -4°C to 0°C.

AIR TEMP:

PRODUCTS

GRIPWAX VIOLET K12 CODE: MW0K12 SIZE: 60 gr

KLISTER

AIR TEMP:

Klister to be used with transformed snow with big crystals and with icy coarse snow or mixed with artificial snow. It works with air temperature from -3°C to +3°C.

 $-3^{\circ}/+3^{\circ}$ C

KLISTER

GRIPWAX PRODUCTS

RED K13 MW0K13 CODE: SIZE: 60 gr

AIR TEMP: $-1^{\circ}/+4^{\circ}$ C

Klister to be used with transformed snow with big crystals and with icy coarse and wet snow or mixed with artificial snow. It works with air temperature from -1°C to +4°C.

- 4°/0°C





PRODUCTS

GRIPWAX DARK VIOLET \$14

CODE: MW0S14 SIZE: 45 gr

AIR TEMP:

- 3°/ - 1° C

Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -3° C to -1°C.



GRIPWAX

LIGHT VIOLET S15

MW0S15 CODE: SIZE: 45 gr

AIR TEMP:

 $-2^{\circ}/+1^{\circ}$ C

Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -2° C to +1°C.



GRIPWAX

RED S16

MW0S16 CODE: SIZE: 45 gr

AIR TEMP:

 $0^{\circ}/ + 4^{\circ} C$

Stick wax to be used with falling snow and new snow or mixed with artificial snow. It works with air temperature from 0° C to +4°C.



SIZE:

PRODUCTS

GRIPWAX BASE SILVER K14 MW0K14 CODE:

60 gr

AIR TEMP:

 $0^{\circ}/ + 5^{\circ} C$

Silver Klister to be used with transformed snow or mixed with artificial snow with big and medium crystals. It works with air temperature from 0°. to +5°C. Very good to reduce friction and speed up sliding on very abrasive snow.



GRIPWAX PRODUCTS

UNIVERSAL K15

MW0K15 CODE: SIZE: 60 gr

AIR TEMP: $-5^{\circ}/+5^{\circ}$ C

Universal Klister to be used with transformed snow or mixed with artificial snow with big crystals transforming from wet to icy. It works with air temperature from -5 °C to +5°C and it avoids ice formation.





KIT MWOSK050 CODE:

MW0S13 1pc: MW0S14 1pc: 1pc: MW0S15

MW0K15 1pc:

MT0113 1pc: 1pc: MT0510













TOOLS AND ACCESSORIES **MAPLUSTEX FINE**

CODE: MT0090RS LENGHT: 10 cm - DIAMETER 11 cm

Thanks to its abrasive microlamine, it allows to speed up ski sole in really short time - just three passages are recommended – after new structuring with grinding machine. It also rejuvenates ski sole from opacity due to very abrasive or icy snow or after using an overtemperatured waxing iron.



TOOLS AND ACCESSORIES

MAPLUSTEX EXTRA FINE

CODE: MT0095RS

LENGHT: 10 cm - DIAMETER 11 cm

Thanks to its special fibres, it is recommended for removing microhairs from nordic skis after new structuring or grinding up. It also gives the final touch to the skis speeding up done with MaplusTex Fine: three passages after using MaplusTex Fine guarantee the best final results. Specially indicated for removing residues of a very hard solid wax, as Maplus Artic Base solid.


HOW TO USE TIPS

-having a larger diameter than normal rotating brushes, they must be used with minimum pressure at a maximum drill speed of 700/800 revolutions per minute (rpm);

-it is preferable to use them before preparing the edges, in order to avoid rounding off the cusps; -after using MaplusTex rollers it is recommended to thoroughly clean the base with a specific liquid cleaner, as Maplus Clean, so to remove any residues.

PRODUCTS

MANUAL BRUSHES




PRODUCTS

MANUAL BRUSH

HARD HORSEHAIR CODE: MT0101 To be used for deep brushing of any type of paraffin and perfluorinated wax. $\label{eq:paraffin} % \begin{subarray}{ll} \end{subarray} % \begin$

SOFT HORSEHAIR CODE: MTO104

To be used for fine brushing of any type of paraffin and perfluorinated wax.



RODUCTS


MANUAL BRUSH

HARD NYLON CODE: MTO105

SOFT NYLON CODE: MT0102

To be used with front and back movements for surface brushing and polishing of any type of paraffin and perfluorinated wax.

To be used for deep polishing of any type of paraffin and perfluorinated wax.




PRODUCTS

MANUAL BRUSH

HARD BRASS CODE: MTO106

To be used for first brushing of any type of soft and med paraffin.



RODUCTS

MANUAL BRUSH

SOFT BRASS CODE: MT0103 To be used for smooth brushing of any type of soft and med paraffin and during the polyethylene-base cleaning operations.



PRODUCTS

MANUAL BRUSH

SOFT STEEL CODE: MT0107 To be used for smooth brushing of any type of hard paraffin and during the polyethylene-base cleaning operations.





MANUAL BRUSH

HARD HORSEHAIR CODE: MT0121 To be used for deep brushing of any type of paraffin and perfluorinated wax.

SOFT HORSEHAIR CODE: MT0124

To be used for fine brushing of any type of paraffin and perfluorinated wax.



MANUAL BRUSH

HARD NYLON CODE: MT0125

SOFT NYLON CODE: MTO122 To be used with front and back movements for surface brushing and polishing of any type of paraffin and perfluorinated wax.

To be used for deep polishing of any type of paraffin and perfluorinated wax.



MANUAL BRUSH

HARD BRASS CODE: MTO126 To be used for first brushing of any type of soft and med paraffin.



MANUAL BRUSH

PRODUCTS

SOFT BRASS CODE: MT0123

To be used for smooth brushing of any type of soft and med paraffin and during the polyethylene-base cleaning operations.



MANUAL BRUSH

HARD STEEL CODE: MTO128

ODE: MT0128 Angled wire

SOFT STEEL CODE: MT0127 Angled wire To be used for first brushing of any type of hard paraffin and for speeding up polyethylene ski sole during its saturation.

To be used for smooth brushing of any type of hard paraffin and during the polyethylene-base cleaning operations.

ROTO BRUSHES







ROTO


BRUSH

HORSEHAIR

MT0012 - 10 cm MT0042 - 14 cm MT0014 - 20 cm CODE: CODE: CODE:

To be used for deep brushing of any type of paraffin and perfluorinated wax on cross-country and alpine ski as well as snowboard.





ROTO BRUSH PRODUCTS

NYLON MT0013 - 10 cm CODE: MT0043 - 14 cm MT0015 - 20 cm CODE: CODE:

To be used for polishing of any type of paraffin and perfluorinated wax on cross-country and alpine ski as well as snowboard.





ROTO BRUSH PRODUCTS

BRASS

CODE: CODE: MT0011 - 10 cm MT0018 - 20 cm

To be used for first brushing of soft and med paraffin on cross-country and alpine ski as well as snowboard.





ROTO BRUSH

STEEL

CODE: MT0017 - 10 cm MT0019 - 20 cm CODE:

To be used for first brushing of hard paraffin on cross-country and alpine ski as well as snowboard.



PRODUCTS

ROTO BRUSH PRODUCTS

CORK CODE: CODE:

MT0022 - 10 cm MT0024 - 14 cm

To be used for FP4 perfluorinated wax application.



BRUSH

ROTO

XC COMBI 1 MT0049 - 14 cm CODE:

To be used for deep brushing and polishing of any type of paraffin on cross-country ski.

GENERAL CATALOG 2022/23



ROTO BRUSH

QUICK GRIP CODE: MT0030



ROTO BRUSH

QUIK DRIVE SHAFT CODE: MT0031 - 10 cm MT0031 - 10 cm MT0032 - 14 cm MT0033 - 20 cm CODE: CODE:



ROTO BRUSH

PRODUCTS

NOMIC GRIP CODE: MT0040



BRUSH

NOMIC DRIVE SHAFT CODE: MT0041 - 10 cm MT0047 - 14 cm CODE: CODE: MT0048 - 20 cm



PRODUCTS

PRODUCTS

PRODUCTS

ROTO KIT 10 CM - CORK

MT0060 (MT0040 + MT0041 + MT0022-12-13)









MANUAL BRUSH

ROTO KIT 10 CM - BRASSCODE: MT0065 (MT0040 + MT0041 + MT0011-12-13)









MANUAL BRUSH

ROTO KIT 10 CM - POLYESTER

MT0066 (MT0040 + MT0041 + MT0070-12-13)















PRODUCTS

MANUAL BRUSH

ROTOBRUSH BOX

CODE: BMC0103 38x28x9 cm only for 10 cm brushes

SPEED FABRIC ROLLERS



SPEED FABRIC

SPREAL POLYES

SPREADING ROLLER POLYESTER

CODE: MT0070 - cm 10 CODE: MT0075 - cm 14 CODE: MT0080 - cm 20



SPEED FABRIC ROLLERS

POLISHING ROLLER
MERINO WOOL 12mm

CODE: MT0072N - cm 10 CODE: MT0077N - cm 14 CODE: MT0082N - cm 20



SPEED FABRIC ROLLERS

POLYESTER & MERINO WOOL ROTO SET CM 10

CODE: MT0085N



SPEED FABRICROLLERS

PRODUCTS

POLYESTER & MERINO WOOL ROTO SET CM 14

SPEED FABRIC ROLLERS

> POLYESTER & MERINO WOOL ROTO SET CM 20 CODE: MT0087N

Polyester and Merino wool rollers especially recommended for hot or cold application of every FP4 perfluorinated waxes (powder, spray or solid).

Instead of roto-cork and traditional horsehair and nylon brushes, use new rollers of polyester and merino wool as follows:

- 1. Roll the base surface with the roto-polyester in both directions at a speed between 1000 and 1500 rpm according to the pressure applied. Repeat several times until the complete saturation of the base surface. Wait at least 10 minutes for cooling of the base surface and for the ski wax to harden.
- 2. Free the base structure with the 5 mm. roto-wool.
- 3. Polish the base structure with the 12 mm. roto-wool.

For top performances is necessary one set of new rollers for every type of product (cold-med-hot).

WAXING IRONS





WAXING IRONS

CODE:

ADJUSTABLE WAXING IRON T10B.15

KZ05000N AC 220V MAX TEMP. 190°C First choice waxing iron with easy temperature manual

Easy waxing in all directions due to ergonomic shape. Very competitive quality/price ratio.



WAXING IRONS

DIGITAL WAXING IRON T10A.15 CODE:

KZ06000N AC 220V MAX TEMP. 200°C Professional powerfull digital waxing iron. The digital microprocessor controls temperature adjustment till 200°C. Inox iron plate guarantees a constant temperature of working. Easy waxing in all directions due to ergonomic



WAXING IRONS

DIGITAL WAXING IRON T10A.35

CODE: KZ03000N

AC 220V MAX TEMP. 200°C

World Cup high professional waxing iron, with extremely precise digital temperature setting by digital microprocessor. The 35mm thick inox iron base guarantees the fully constant temperature. This iron wax is especially studied for handling all racing perfluorinated waxes which require stable and constant high temperature. Easy waxing in all directions due to ergonomic shape.



WAXING **IRONS**

FACIAL MASK CODE: KZ08000

CE EN 136 - Class 3



WAXING **IRONS** PRODUCTS

FILTER FOR FACIAL MASK

CODE: KZ08001

MSA A2-B2-E2-K1-HG-P3 CE

SKI FILES



SKI FILES

HARD CHROME FINE

CODE: ML0001 - 150 mm CODE: ML0002 - 200 mm

Universal FINE file with hardchromed surfaces: satisfied the technical requirements of professional skimen SKI FILES HARI CODE CODE

HARD CHROME COARSE

CODE: BK00010 - 150 mm CODE: ML0003 - 200 mm

Universal COARSE file, with hard-chromed surfaces: satisfied the technical requirements of professional skimen **SKI** FILES

HARD CHROME SUPER COARSE

CODE: ML0004 - 200 mm

Universal SUPERCOARSE file, with hardchromed surfaces: satisfied the technical requirements of professional skimen



SKI FILES COM MED

COMBI FILE
MEDIUM - COARSE
CODE: ML0530 - 80 mm

Made of premium steel, this is the only ski file with two different cuts: a coarse cut on one side to provide an high and frank bite, and a medium cut on the other side to provide a fine tune on edge sharpening. Now with the same file it is possible to remove the excess of sidewall material, to sharpen damage edges and to refine edge sharpening with high precision. Its dimensions are adapted to most sharpeners of 80mm in length. With this combination, sharpening it is not only faster but also much more easy: every skis or snowboard will have a precise and powerful bite.



SKI FILES

FILE BRUSH CODE: MTO100N

The perfect brush for cleaning all kind of files



SKI FILES

BODY FILE

CODE: ML0005 - 300 mm

Radial file special studied for roughing skis and snowboards



SKI FILES

PROFESSIONAL HARD CHROME BASTARD

ODE: ML0501 - 200 mm

SKI FILES

PRODUCTS

PROFESSIONAL HARD CHROME 2ND CUT

CODE: ML0502 - 200 mm

SKI FILES

PRODUCTS

PROFESSIONAL HARD CHROME SMOOTH

CODE: ML0503 - 150 mm

Due to their high level precision and performance, these files are considered as the reference by the world's most renowned professional skimen. They are chosen by the most demanding users for their smooth and consistent bite. Thanks to their chromed plates, these files are protected against corrosion.



SKI FILES

PROFESSIONAL

NO-CHROME BASTARD CODE: ML0511 - 200 mm **SKI** FILES

PROFESSIONAL NO-CHROME 2ND CUT CODE: ML0512 - 200 mm SKI FILES

PRODUCT

PROFESSIONAL NO-CHROME SMOOTH CODE: ML0513 - 150 mm

Due to their high level precision and performance, these files are considered as the reference by the world's most renowned professional skimen. They are chosen by the most demanding users for their smooth and consistent bite.



SKI

FILES

PRODUCTS

PRO RS NO-CHROME COARSE

ML0525 - 100 mm

PRODUCTS

PRODUCTS

SKI FILES

PRO RS NO-CHROME MEDIUM

CODE: ML0526 - 100 mm

SKI FILES PRO FINE CODE

PRO RS NO-CHROME

FINE CODE: ML0527 - 100 mm

These files benefit from ideal dimensions and fit to a very precise sharpening. Produced with a premium steel in order to assure a consistent quality to the product, These files are optimized for an exceptional biting and do not clog.

DIAFACE - DIAMOND - STONES





DIAFACE

PRODUCTS

DIAFACE 100 gr

MP0210 - 70 mm MP0200 - 100 mm

DIAFACE 400 gr

MP0212 - 70 mm MP0202 - 100 mm

DIAFACE 1500 gr

MP0214 - 70 mm MP0204 - 100 mm CODE:

DIAFACE 200 gr

MP0211 - 70 mm CODE: MP0201 - 100 mm

DIAFACE 600 gr

CODE: MP0213 - 70 mm MP0203 - 100 mm



DIAMOND

PRODUCTS

WORLD CUP DIAMOND 100 gr CODE: MP0310 - 70 mm

MP0300 - 100 mm

WORLD CUP DIAMOND 400 gr

MP0312 - 70 mm MP0302 - 100 mm

WORLD CUP DIAMOND 200 gr CODE: MP0311 - 70 mm MP0301 - 100 mm

WORLD CUP DIAMOND 600 ar CODE:

MP0313 - 70 mm MP0303 - 100 mm



MP0314 - 70 mm

MP0304 - 100 mm



DIAFACE

MINI SQUARE 88° CODE: MP0150 for diaface 70 mm

MINI SQUARE 87° CODE: MP0151 for diaface 70 mm



STONES

PRODUCTS

PRODUCTS

NATURAL STONE

MP0002 - FINE CODE: CODE: MP0003 - MEDIUM



STONES

GUMMY STONE ALLAROUND CODE: MP0015



STONES

ARKANSAS

CODE: MP0004 - EXTRA FINE



STONES

ALU OXIDE STONE

CODE: BK00006 MEDIUM

WAXING TOOLS



RODUCTS

WAXING TOOLS

CORK/NYLON BRUSH

CODE: MTO111 75 x 55 x 34 mm



PRODUCTS

WAXING TOOLS

SYNTHETIC CORK

CODE: MTO113 70 x 50 x 35 mm



PRODUCTS

WAXING TOOLS

CORK/FELT

PAD CODE:

MT0115 135 x 42 x 39 mm



6100

WAXING TOOLS

FELT PAD

CODE: MTO118 135 x 42 x 39 mm



WAXING TOOLS

VELCRO® PAD

CODE: MTO119 135 x 42 x 39 mm





WAXING

T00LS

CORK

CODE: MTO110 70 x 50 x 35 mm




WAXING TOOLS

PRODUCTS

PRODUCTS

NORDIC SCRAPER CODE: MT0510

GROOVE SCRAPERCODE: MTO512



WAXING TOOLS

.0020

PLEXY SCRAPER

CODE: MT0511 130 x 60 x 4 mm



SNOWBOARD SCRAPER

MT0515N 260 x 70 x 5 mm



WAXING TOOLS

STEEL SCRAPER CODE: MT0513 - 1 mm



WAXING TOOLS

CODE:

PTFE TAPE

CODE: MTO901 10 mt x 130 mm

PTFE SHEET
CODE: MT0902 - 10 pcs
200 x 130 mm



PRODUCTS

WAXING TOOLS

FIBERLENE TAPE CODE: MT0900 10 mt x 130 mm





STANDARD THERMOMETER CODE: MT0915

temp. -20°/+50°



PRODUCTS

WAXING TOOLS

> DIGITAL PROBE THERMOMETER CODE: MT0921

M10921 temp. -40°/+200°



PRODUCTS

WAXING TOOLS

INFRARED THERMOMETER

GUN CODE:

MT0916 temp. -33°/+500°





PRODUCTS

WAXING T00LS

THERMO-HYGROMETER

CODE: MT0923 temp. -20°/+50° hr 10% / 95%



WAXING T00LS

PRODUCTS

PRODUCTS

PRODUCTS

PROFESSIONAL DIGITAL THERMOMETER WITH

PENETRATION PROBE CODE: MT0918 temp. -40°/+200°



PRODUCTS

WAXING T00LS

DIGITAL THERMO HYGROMETER

CODE: MT0920 temp. -40°/+70° hr. 1% / 99%



WAXING T00LS

SKIMAN BOX

BMC0100 CODE: 470 x 360 x 175 mm



PRODUCTS

WAXING T00LS

POWDER NET DISPENSER CODE:

MT0905



WAXING TOOLS

WAXING THERMO BAG

MT0800 - AC 220V CODE: 2200 x 450 x 450 mm ADJUSTABLE TEMP: 30°C - 60°C





WAXING T00LS

THERMO WAXING COVER

ALPINE - MT0801N - AC 220V ALPINE - MT0801NUS - AC 110V

55°C - 60°C - 2300 x 140 mm 55°C x 1,5 h for quick skibase saturation



WAXING T00LS

THERMO WAXING COVER

FREERIDE - MT0805N - AC 220V FREERIDE - MT0805NUS - AC 110V

 55°C - 60°C - 2000 x 170 mm 55°C x 1,5 h for quick ski base saturation



PRODUCTS

WAXING T00LS

THERMO WAXING COVER

SNOWBOARD - MT0806N - AC 220V SNOWBOARD - MT0806NUS - AC 110V

55°C - 60°C - 1800 x 330 mm 55°C x 1,5 h for quick ski base saturation



WAXING T00LS

CLAMP FOR THERMO COVER

MT0802 CODE:

SKI LAB



PRODUCTS

SKILAB ACCESSORIES

TRUE BAR CODE: MTO514 - 3 mm STEEL SCRAPER



SKILAB ACCESSORIES

PRODUCTS HOLE PLUGS CODE: LK21101 - 500 pcs MIXED NORMAL COLORS



PRODUCTS

SKILAB ACCESSORIES

PLASTIC BUSHING THREADED

LK21201 - 100 pcs CODE: **BLACK**



SKILAB

ACCESSORIES

PRODUCTS STEEL SKI DRIL

MM420L - 3,5 x 7 mm CODE: CODE: MM420L - 3,5 x 9 mm CODE: MM420L - 3,8 x 10 mm MM420L - 3,8 x 15 mm CODE: MM420L - 4,1 x 9 mm



PRODUCTS

SKILAB ACCESSORIES

HARD STEEL SKI DRILL

MM420C0 - 4,1 x 9 mm CODE:



SKILAB

PRODUCTS

PRODUCTS

PRODUCTS

ACCESSORIES

SCREW DRIVER BIT

CODE: MMF4302

pzd2 x 110 mm - A4 standard

CODE: MMF4303

pzd3 x 110 mm - A4 standard



SKILAB ACCESSORIES

LUBRICANT FOR SKI BINDINGS CODE: MM490 - 150 ml



SKILAB

ACCESSORIES

ELASTICS FOR BINDING

CODE: SM058100 - 1 kg



PRODUCTS

SKILAB ACCESSORIES

SAND PAPER 70 x 200 mm CODE: BK00008 gr 600 - 5 pcs



SKILAB

ACCESSORIES

STEEL STRUCTURE BRUSH

CODE: BK00130

SAND PAPER 120 x 200 mm CODE: BK00950 gr 180 - 5 pcs BK00951 gr 120 - 5 pcs



PRODUCTS

WAXING TOOLS

MAPLUSTEX KIT

BK00009 CODE:

135 x 110 x 7 mm

three different abrasive mats for smoothening ski base

MAINTENANCE SOLES

PRODUCTS

PRODUCTS





MAINTENANCE

SOLES

SKI BASE

LK00001 - trasparent - 4pcs LK00002 - graphite - 4pcs 250 x 80 x 1,3 mm CODE:



MAINTENANCE

SOLES

FREE CANDLE ø 8 mm

LK20001 - transparent LK20002 - graphite LK20003 - black CODE:



MAINTENANCE

SOLES

GUN CANDLE ø 11.5 mm

LK20301 - transparent CODE: LK20302 - graphite

LK20303 - black



MAINTENANCE

SOLES

WELDING STRIP

LK20401 - transparent CODE:

LK20402 - graphite LK20403 - black



MAINTENANCE

SOLES

WIRE FOR SMEARING MACHINE ø 3mm - 0.5 kg

LK20601 - transparent CODE: LK20602 - graphite LK20607 - black



MAINTENANCE

SOLES

WIRE FOR SMEARING MACHINE ø 3mm - 1.5 kg

LK20661 - transparent CODE: LK20662 - graphite LK20667 - black



MAINTENANCE

SOLES

PRODUCTS

METAL GRIP ø 3.5mm - 10 mt

LK20902 - transparent LK20904 - graphite



MAINTENANCE

SOLES

POLYMERIC ADHESIVE FOR SKI BASE REPAIRING

LK00010 - amber - 25 ml LK00015 - black - 25 ml



MAINTENANCE SOLES PRODUCTS

MIXING TIPS

CODE: LK00016 - 12 pcs



MAINTENANCE

SOLES

PRODUCTS

UNIVERSAL **CYANACRYLATE ADHESIVE**

LK00020 - transparent - 30 gr



PRODUCTS


MAINTENANCE

SOLES

PRIMER FOR POLYETHYLENE

CODE: LK00021 - spray - 15 ml

SKI MAN FOLDING TABLE







UNIVERSAL SKIMAN TABLE MT0610 - 16,5 Kg L102 x W50 x H85 cm CODE:


GENERAL CATALOG 2022/23 With handle and folding legs **SKI MAN FOLDING TABLE PRODUCTS** TRAVEL BENCH

CODE: MT0640 L115 x W9,5 x H120 cm.



SKI MAN ACCESSORIES

TABLE BAG CODE: MT0608 for table 610



SKI MAN ACCESSORIES

PRODUCTS

SKI RACK CODE: MT0614



SKI MAN ACCESSORIES

PRODUCTS

PRODUCTS

IRON HOLDER CODE: MT0620



SKI MAN

ACCESSORIES

RUBBISH BAG HOLDER CODE: MT0621



SKI MAN ACCESSORIES

XC PROFILE PRO CODE:

MT0613 Aluminium light weight for table 611-612



SKI MAN

ACCESSORIES PRODUCTS

CENTRAL CLIP CODE: MT0617 for profile 613



SKI MAN ACCESSORIES

XC PROFILE SET CODE:

MT0635 L150 x W4 x H18 cm. 3,7 kg. (ski from 140 to 210 cm.)

SKI AND SNOWBOARD VISE

SKI AND SNOWBOARD

VISE

PRODUCTS

SKI VISE TOURING SM01007 CODE:

Especially designed for tuning Touring skis

- Lateral supports in high-tensile aluminium body
- Central in high-impact plastic body
- Two side edge positions: standard 90° and easy 60°



SKI AND SNOWBOARD

SKI VISE TOURING CENTER ONLY SM01007C CODE:



SKI AND SNOWBOARD

VISE

SKI VISE 24 HOURS

CODE: SM00650

- High-tensile aluminium body
- · Light and easy to transport
- For tuning all types & shapes of skis
- Special rubber to grip the ski during side and base work
- Included 2 brake retainers



SKI AND SNOWBOARD

VISE

SKI VISE QUICK

CODE: SM00690

- High-tensile aluminium body
- · Light and easy to transport
- For tuning all types & shapes of skis
- · Special rubber to grip the ski during base work
- Included 2 brake retainers




SKI AND SNOWBOARD

VISE

SKI SUPPORT

CODE: SM00695



- · Light and easy to transport
- For tuning all types & shapes of skis
- Special rubber to grip the ski during base work
- · Included 2 brake retainers



SKI AND SNOWBOARD

VISE

BRAVO SUPPORT

CODE: SM00635

for SM00691-1070N-1110N-1110NW

· Universal adapter with special rubber to grip cross-country ski, snowboard & wide ski during the base tuning





SKI AND SNOWBOARD

VISE

SKI VISE COMP

CODE: SM00691 max opening 85 mm

- Jaw width 30 mm
- Jaw opening: up to 90 mm
- High-tensile aluminium body
- · Light and easy to transport
- · For tuning all types & shapes of skis
- · Included 2 brake retainers



SKI AND SNOWBOARD

SKI VISE RACING

CODE: SM01070N max opening 100 mm

- Jaw width: 70 mm
- Jaw opening: up to 100 mm
- Rubber lined vice jaws
- · Special rubber with small suction cups on the top grip of the supports
- Adjustable guide blocks
- For skis with all kinds of riser plates
- High tensile aluminum body
- Also use horizontally for mounting bindings
- Included 2 brake retainers
- Designed to clamp also in the plate or binding





SKI AND SNOWBOARD

SKI VISE PRO

SM01110N CODE: max opening 100 mm

- Jaw width 90 mm
- Jaw opening: up to 100 mm
- High-tensile aluminium body
- For tuning all types & shapes of skis
- Included 2 brake retainers
- Designed to clamp also in the plate or binding





PRODUCTS

SKI AND SNOWBOARD

VISE

SKI VISE PRO "WIDE OPENING" CODE: SM01110NW

max opening 155 mm

- Jaw width 90 mm
- Jaw opening: up to 155 mm
- High-tensile aluminium body
- For tuning all types & shapes of skis
- Included 2 brake retainers
- Designed to clamp also in the plate or binding





PRODUCTS

SKI AND SNOWBOARD

VISE

SKI VISE CROSS COUNTRY **WORLD CUP**

SM00670N CODE:

- High-tensile aluminium body
- · Light and practical for travelling
- For tuning all types & shapes of nordic skis



SKI AND SNOWBOARD VISE

SKI AND SNOWBOARD

VISE

SKI VISE XXL CODE: SM00994

- · High-tensile aluminium body
- Jaw width 70 mm
- Jaws opening up to 155 mm



SKI AND SNOWBOARD

VISE

SNOWBOARD - FREERIDE SKI VISE

CODE: SM01003N

- High-impact plastic body
- For tuning all types of snowboards and wide skisSpecial rubber to grip the snowboards and wide skis during side and base tuning
- Two side edge positions: standard 90° and easy 60°
- Binding clearance: 160 mm



SKI AND SNOWBOARD

DOUBLE WORKSHOP VISE

CODE: SM01021N

• Professional workshop vise for working on the base, on the bindings and plates, and on the side edge of all kind of skis and snowboard



SKI AND SNOWBOARD

VISE

DOUBLE WORKSHOP SUPPORT

SM01022N CODE:

• Professional workshop supports for working on the side edge of all kind of skis and snowboard



PRODUCTS

EDGE SHARPENERS



EDGE SHARPENERS

RACING SHARP

SM05006

Side edge: 89°-88°-87°-86° / Base edge:0,5°-1°

- Ergonomic side edge sharpener
- · Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Right and left hand use
- · For ski and snowboard
- Spare file 80 mm SM05104



EDGE

SHARPENERS

RACING SHARP KIT

CODE: SM05007

- Ergonomic side edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Right and left hand use
- · For ski and snowboard







EDGE SHARPENERS

PRO SHARP

CODE: SM05001 from 90° to 85°

- · Professional side edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Fits any files, stones or diamonds up to 6 mm thick
- · Ball bearing system to protect the base
- Right and left hand use
- For ski and snowboard
- Spare file 80 mm included



EDGE SHARPENERS

ERGO SHARP

CODE: SM05002 from 90° to 85°

- Ergonomic side edge sharpener
- · Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Fits any files, stones or diamonds up to 6 mm thick
- · Right and left hand use
- For ski and snowboard
- Spare file 80 mm included



EDGE SHARPENERS

PRODUCTS

EDGE SHARPENERS

QUICK SHARP 88°-89°

CODE: SM03007

- Ergonomic side edge sharpener
- Pocket size, «on the slope» use also
- · Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- · Right and left hand use
- For ski and snowboard
- Spare file 40 mm SM05105






EDGE SHARPENERS

QUICK SHARP KIT 88°-89°

CODE: SM03009

- Ergonomic side edge sharpener
- Pocket size, «on the slope» use also
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- · Right and left hand use
- · For ski and snowboard
- Spare file 40 mm SM05105





EDGE

SHARPENERS

DIAMOND SHARP 88°-89°

CODE: SM04006N

- Ergonomic side edge sharpener
- Pocket size, «on the slope» use also
- · Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- · Right and left hand use
- For ski and snowboard
- Spare file 40 mm SM05190





PRODUCTS

EDGE SHARPENERS

SPARE DIAMOND DISC

CODE: SM05190



PRODUCTS

EDGE SHARPENERS

SPARE ZIRCONIUM CODE: SM05140



PRODUCTS

EDGE

SHARPENERS

SPARE DIAMOND

CODE: SM05160



PRODUCTS

EDGE SHARPENERS

SPARE FILE BASTARD

CODE: SM05104 - 80 mm SM05105 - 40 mm



PRODUCTS

EDGE SHARPENERS

SIDEWALL SHARP CODE: SM03004

- Ergonomic sidewall planer
- · Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- · Adjustable blade position and cutting depth
- Right and left hand use
- For ski and snowboard





EDGE SHARPENERS

SIDEWALL SHARP **WORLD CUP**

CODE: SM05005N

• Professional sidewall planer

• Easy handling, steady grip, maximum accuracy

• Best results, minimum effort

· Adjustable blade position and cutting depth

- Right and left hand use
- · For ski and snowboard

SPARE BLADE STANDARD

SM05120



SPARE BLADE RADIUS 3 mm

SM05125



SPARE BLADE ROUND

SM05130 CODE:



EDGE

SHARPENERS

ADJUSTABLE BASE EDGE FILE GUIDE

CODE: SM03071 from 0,5° to 1,5°

- Base edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Fits any files, stones or diamonds up to 6 mm thick
- · For ski and snowboard



SHARPENERS

BASE EDGE FILE GUIDE

SM03051N - 0,5° SM03052N - 0,75° CODE: SM03053N - 1°

- Professional base edge sharpener
- · Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Fits any files, stones or diamonds up to 6 mm thick
- · For ski and snowboard





EDGE SHARPENERS



EDGE SHARPENERS

RACING GUIDE

SM03030 - 90° CODE: SM03031 - 89° SM03032 - 88° SM03033 - 87° SM03034 - 86°

- Side edge file guide with ergonomic clamp included
- Designed to eject metal filings
- Fits any files, stones or diamonds
- For ski and snowboard







RACING GUIDE PLUS

SM03040 - 90° SM03041 - 89° SM03042 - 88° SM03043 - 87° SM03044 - 86°



- Side edge file guide with clamp included
- Designed to eject metal filings
- Ball bearing system to protect the base
- Fits any files, stones or diamonds
- · For ski and snowboard



EDGE SHARPENERS

ALUMINIUM SQUARE

SQ0090V - 90° SQ0089V - 89° CODE: SQ0088V - 88° SQ0087V - 87°

SQ0086V - 86° SQ0085V - 85°



EDGE SHARPENERS

> **SKI FILE CLAMP** CODE: MT0803



EDGE SHARPENERS

WORLD CUP

INOX SQUARE CODE: SQ0090N - 90°

SQ0089N - 89°

SQ0088N - 88° SQ0087N - 87°

SQ0086N - 86°

SQ0085N - 85°



EDGE

SHARPENERS

WORLD CUP SIDE WALL CUTTER 70°

SQ0070 - 70° CODE:



PRODUCTS



PRODUCTS

PLEXI SHARPENERS

WORLD CUP PLEXI SHARP CODE: SM00631-220

CODE: SMOO from 90° to 86°

Electric, lightweight power tool, compact, easy to use, exclusively designed for fast and professional sharpening of all plastic wax scrapers.

Thanks to its innovative and special technical features, plexi scrapers edges can be sharpened with considerably less effort than with conventional manual devices.

- Used for 3, 4, 5 mm plexi wax scraper thick Available in 220V for European market
- Dimensions: 150 (L) x 110 (W) x 80 (H) mm
- Weight: 636 gr



PLEXI SHARPENERS

PLEXI SHARP CODE: SM00630N

- Wax scraper sharpener
- Used for 3, 4, 5 mm plexi wax scraper thick
- 100 mm body file included
- Spare 100 mm body file included



PLEXI SHARPENERS

SPARE BODY FILE SM05101 CODE:





PRODUCTS

NORDIC STRUCTURE

PRODUCTS

NORDIC STRUCTURE

NORDIC SHARP

CODE: SM08001 Art. SM08006 included

- Ergonomic structuring tool with interchangeable structure rollers
- · Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- According to the snow conditions, it will increase the glide of the skis
- · Delivered with a medium diagonal roller









NORDIC STRUCTURE

LINEAR COARSE

CODE: SM08002 for warm and wet conditions


LINEAR Medium

CODE: SM08003 for universal conditions

LINEAR FINE

CODE: SM08004 for cold conditions





NORDIC STRUCTURE

DIAGONAL

COARSECODE: SM08005
for warm and wet conditions

DIAGONAL MEDIUM

CODE: SM08006 for universal conditions

DIAGONAL FINE

CODE: SM08007 for cold conditions





NORDIC STRUCTURE

W
COARSE
CODE: SM08008
for warm and wet conditions

W MEDIUM CODE: SM08009 for universal conditions

W FINE CODE: SM08010 for cold conditions

HOTBOX





HOTBOXWAXING MACHINE

HOTBOX 140

CODE: SV00001

DIMENSIONS: 205X198X100 mm

WEIGHT: 3 kg

VOLTAGE: 220V/50HZ

AVAILABLE AT: 110V

ABSORPTION: 0.7 KW

OPERATING TEMP:: 110° - 140° C

ROLLER WIDTH: 120 mm

HOTBOX 160 CODE: SV00010

DIMENSIONS: 225X198X100 mm
WEIGHT: 4 kg
VOLTAGE: 220V/50HZ
AVAILABLE AT: 110V
ABSORPTION: 0.7 KW
OPERATING TEMP.: 110° - 140° C
ROLLER WIDTH: 150 mm

HOTBOX 350

CODE: SV00008

DIMENSIONS: 420X198X100 mm

WEIGHT: 6 kg

VOLTAGE: 220V/50HZ

AVAILABLE AT: 110V

ABSORPTION: 1 KW

OPERATING TEMP: 110° - 140° C

ROLLER WIDTH: 330 mm



HOTBOX

ACCESSORIES

140 TANK

WITH STANDARD ROLLER CODE: SV00002

140 TANK
WITH CROSS COOUNTRY ROLLER

CODE: SV00003 Thin + Thick Layer

160 TANK
WITH STANDARD ROLLER
CODE: SV00011

350 TANK
WITH SILICON ROLLER
CODE: SV00009



нотвох

WAXING MACHINE

GRIP WAX DIGITAL HOTBOX

CODE: SV00013

DIMENSIONS: 205X198X100 mm

WEIGHT: 4 kg

VOLTAGE: 220V/50HZ

AVAILABLE AT: 110V

ABSORPTION: 0.7 KW

OPERATING TEMP.: 50° - 200° C

ROLLER WIDTH: 100 mm





HOTBOX ACCESSORIES

GRIP WAX TANK WITH ROLLERS

CODE: SV00014



HOTBOX ACCESSORIES

140 TANK WITH SKI WAX SCRAPERS

CODE: SV00004





HOTBOX

ACCESSORIES

140 TANK COVER CODE: SV00006

160 TANK COVER CODE: SV00012



HOTBOX ACCESSORIES

STODICTS HEI

HERMETIC BOX WITH FOAM PROTECTION

CODE: SV00007 - L55xW42xH30 cm CODE: SV00008 - L68xW52xH37 cm

ROTO WAXING & BRUSHING MACHINE



ROTO WAXING

& BRUSHING MACHINE

MOTO BRUSH 2 WITHOUT ROLLERS

CODE: SV00020N 1 HEATING PLATE

Professional waxing and brushing machine with one heating plate and replaceable rollers.

DIMENSIONS: 590X160X215 MM WEIGHT: 15 KG VOLTAGE 220V/50HZ ABSORPTION 0.5 KW



ROTO WAXING ACCESSORIES

ROLLER FOR MERINO WOOL LEATHER CODE: SV00029 - 14 cm



ROTO WAXING

ACCESSORIES

MERINO WOOL LEATHER

CODE: SV00021 - 14 cm



ROTO WAXING ACCESSORIES

SCOTCH BRITE ROLLER CODE: SV00027 - 16 cm



ROTO WAXING

ACCESSORIES

BRASS BRUSH 13 mm CODE: SV00022 - 16 cm



ROTO WAXING ACCESSORIES

HORSEHAIR BRUSH 10 mm CODE: SV00023 - 16 cm



ROTO WAXING ACCESSORIES

NYLON BRUSH

10 mm CODE: SV00024 - 16 cm



ROTO WAXING ACCESSORIES

NYLON/HORSEHAIR BRUSH 10 mm

CODE: SV00026 - 16 cm



PRODUCTS

MOTOBRUSH ACCESSORIES

WORK BASE HIGH STABILITY WORK BASE WITH DOOR AND SHELVES FOR HOT BOX **AND MOTO BRUSH 2** CODE: SV00040

BAG & ACCESSORIES







BAG & ACCESSORIES

RACING BACK PACK CODE: MB0300 BAG & ACCESSORIES

ALPINE BACK PACK

CODE: MB0310







TEAM WHEEL BAG

CODE: MB0205 - 70lt







ACC

BAG & ACCESSORIES

SKITUBECODE: MB0400
3 xc ski - 1 alpine ski

BAG & ACCESSORIES

SKIBAGCODE: MB0405
3 xc ski - 1 alpine ski

BAG & ACCESSORIES

WHEEL SKIBAG PRO CODE: MB0410 6 xc ski - 3 alpine ski

BAG & ACCESSORIES



ACCESSORIES MERCHANDISING

SYNTHETIC DOWN JACKET CODE:

MA0322 S-M-L-XL-XXL



ACCESSORIES MERCHANDISING

BUTTON NECK SHIRT MA0009 - Short sleves MA0019 - Long sleves S - M - L - XL - XXL CODE:



ACCESSORIES MERCHANDISING PRODUCTS

SKIMAN APRON COTTON

CODE: MA0003J



ACCESSORIES MERCHANDISING

XC RACE JACKET - LADY

MA079001W XS - S - M - L - XL

XC RACE JACKET - MAN MA079002M CODE: S-M-L-XL-XXL



ACCESSORIES MERCHANDISING

CAP

CODE: MC0050N



ACCESSORIES MERCHANDISING

HAT

CODE: MC0005M



ACCESSORIES MERCHANDISING

> **XC RACE PANTS - LADY** CODE:

MA079003W XS - S - M - L - XL

XC RACE PANTS - MAN MA079004M

S-M-L-XL-XXL

GENERAL CATALOG 2022/23



ACCESSORIES MERCHANDISING

XC COVER JACKET - UNISEX CODE:

MA079005U XS - S - M - L - XL - XXL



ACCESSORIES MERCHANDISING

XC COVER GILET – UNISEX

CODE:

MA079006U XS - S - M - L - XL - XXL



ACCESSORIES MERCHANDISING

PRODUCTS

XC COVER PANTS – UNISEX CODE: MA079007U

XS - S - M - L - XL - XXL

MAPLUS

ACCESSORIES MERCHANDISING

STICKER

PRODUCTS

MA1001M - 310 x 50 mm MA1002M - 830 x 140 mm CODE:



ACCESSORIES MERCHANDISING

PATCH

MA1033B - Black CODE:

MA1033W - White

ACCESSORIES MERCHANDISING

ADHESIVE PAPER

TAPE CODE:

MA1014M

ADHESIVE TAPE

CODE: MA1004M **NO-ADHESIVE PAPER SKI TAPE**

CODE: MA1044M









NOW WOVEN BANNER CODE: MA1005N

0.80 x 4 mt



PRODUCTS

BAG & ACCESSORIES



PRODUCTS

ACCESSORIES

MERCHANDISING

THERMO BELT CODE: MA0007

ACCESSORIES MERCHANDISING

DRINK FIT BELT CODE: MB0100



ACCESSORIES

MERCHANDISING

XC SKI STRAP CODE: MA0025M ALPINE SKI STRAP CODE: MA0004M



ACCESSORIES MERCHANDISING

XC RACING CLIP CODE: MA0005M







ACCESSORIES

MERCHANDISING

PRODUCTS

CODE: MA1008MS: 55x250 cm MA1008ML: 65x315 cm

ACCESSORIES

MERCHANDISING

MA1150 DISPLAY h 195 cm

Standard co	ontents:	
MA1303	Shelf	1 pc
MA1305	Hook bar	4 pcs
MA1306	Hook cm 15	15 pcs
MA1307	Hook cm 10	5 pcs
MA1300	Display base	1 pc
MA1301	Display back panel	3 pc
MA1302	Maplus Top Sign	1 pc

MA1160 DISPLAY h 135 cm

Standard co	ontents:	
MA1303	Shelf	1 pc
MA1305	Hook bar	3 pcs
MA1306	Hook cm 15	10 pcs
MA1307	Hook cm 10	5 pcs
MA1300	Display base	1 pc
MA1301	Display back panel	2 pc
MA1302	Maplus Top Sign	1 pc

MA1170 DISPLAY h 75 cm

Standard co	ontents:	
MA1305	Hook bar	2 pcs
MA1306	Hook cm 15	10 pcs
MA1300	Display base	1 pc
MA1301	Display back panel	1 pc
MA1302	Maplus Top Sign	1 pc

DISPLAY ACCESSORIES:

MA1300	DISPLAY BASE
MA1301	DISPLAY BACK PANEL
MA1302	MAPLUS TOP SIGN
MA1303	SHELF
MA1304	LOCKED GLASSED SHOWCASE
MA1305	HOOK BAR
MA1306	HOOK CM 15
MA1307	HOOK CM 10

ACCESSORIES

MERCHANDISING





PRODUCTS

STRESS IT RESTORE IT

Wet...mud.. rain.... if you are a sport and outdoor life addicted, you often meet them on your way.

MAPLUS SUPER CARE LINE ensure that the high techs of your textiles and equipment go on longer and longer with you.



SUPER CARE LINE

GOLF SHOES & GLOVES SUPER CARE

CODE: MI0015 6 x 250 ml - Display Box

SHOES & GLOVES **SUPER CARE**

CODE: MI0010 6 x 250 ml - Display Box **CLOTHING SUPER CARE** CODE: MI0001

TEXTILE SUPER CARE

CODE: MI0005 6 x 250 ml - Display Box 6 x 250 ml - Display Box **UNIVERSAL SANITIZING**

MI0050 - 250 ml Spray CODE: MI0051 - 5 It - Liquid CODE:





ECO SUPER CARE LINE

ECO SHOES & GLOVES SUPER CARE

CODE: MI0110 SIZE: 500 ml **SUPER CARE**CODE: MI010

CODE: MI0105 SIZE: 500 ml ECO CLOTHING SUPER CARE

CODE: MI0101 SIZE: 500 ml

SUPER CARE LINE

Maflon s.p.a. is the italian leading company into processing high quality fluorchemical products matching the environmental sustainability.

The R&D department produces constantly new formulations of fluorinated polymers to realize appropriate and durable coating solutions for any kind of surface so to create a highly effective protective barrier against different agents as oils, water, food and beverages.

In order to get these results we respect the most advanced rules in term of sustainable development taking the best care of human being

Recently we have developed a line of eco-compatible active substances, soluble in water-base, so to obtain more and more environment friendly products maintaining excellent characteristics of hydro and oil repellency.

CLOTHING SUPER CARE

CODE: MI0001 6 x 250 ml - Display Box Super waterproofing spray polymer for high technology functional clothing.

 Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic clothing included elastic functional textiles. Extremely versatile.

It guarantees the best impregnation maintaining the original breathability.

 It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.

Easy and quick to use

TEXTILE SUPER CARE

MI0005 CODE: 6 x 250 ml - Display Box

Super waterproofing spray polymer for high technology fabric of tents, backpacks, bags, gloves, and umbrellas.

• Special for all natural and synthetic functional textiles and membrane textiles (e.g. GORE-TEX®). Extremely

• It guarantees the best impregnation maintaining the original breathability.

 It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.

Easy and quick to use

SHOES & GLOVES SUPER CARE

CODE: MI0010 6 x 250 ml - Display Box Super waterproofing spray polymer for high technology outdoor and mountains shoes and gloves in leather or mixed fabrics.

 Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic functional textiles and leather. Extremely versatile.

It guarantees the best impregnation maintaining the original breathability.

- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- It nourishes the outer material conserving the original flexibility.

Easy and quick to use

GOLF SHOES & GLOVES SUPER CARE

MI0015 6 x 250 ml - Display Box Super waterproofing spray polymer for high technology golf shoes and gloves in leather or mixed fabrics.

• Special for all leather and natural and synthetic functional textiles. Extremely versatile.

- It guarantees the best impregnation maintaining the original breathability.
- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- It nourishes the outer material conserving the original flexibility.
- Easy and quick to use

UNIVERSAL SANITIZING

MI0050 - 250 ml Spray CODE MI0051 - 5 It - Liquid CODE

Super effective and long-lasting sanitizing for helmets, boots, gloves and shoes.

• Extremely versatile for professional and leisure applications.

- It totally neutralizes unpleasant odors leaving a fresh neutral fragrance.
 Environment friendly it works with total absence of corrosive or irritating action.
- The regular use ensures long-lasting freshness



SUPER CARE LINE ECO





Recently we have developed a line of eco-compatible active substances, soluble in water-base, so to obtain more and more environment friendly products maintaining excellent characteristics of hydro and oil repellency.

Maflon s.p.a. is fully involved in the LCPFCs (Long-chain perfluorinated chemicals) elimination process therefore all our products do not contain PFOA and related compounds.

From this very high level experience the Maplus Care Line was born guaranteeing the best results in term of maintaining the oil and hydro repellency and the anti-stain properties of the functional clothing, technical textiles and all kind of outdoor and mountain shoes conserving the correct and effective breathability.

ECO CLOTHING SUPER CARE

CODE: MI0101 SIZE: 500 ml

It guarantees the best impregnation maintaining the original breathability.
Special formula soluble in water-base. Environment friendly.

functional textiles. Extremely versatile.

 It creates an effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.

• Environment friendly trigger spray without propellant gas

ECO TEXTILE SUPER CARE

CODE: MI0105 SIZE: 500 ml Waterproofing spray polymer for high technology fabric of tents, backpacks, bags, gloves, and umbrellas.

Waterproofing spray polymer for high technology functional clothing
• Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic clothing included elastic

- Special for all natural and synthetic functional textiles and membrane textiles (e.g. GORE-TEX®). Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability.

Special formula soluble in water-base. Environment friendly.

- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- Environment friendly trigger spray without propellant gas

Easy and quick to use

ECO SHOES & GLOVES SUPER CARE

CODE: MI0110 SIZE: 500 ml Waterproofing spray polymer for high technology outdoor and mountains shoes and gloves in leather or mixed fabrics.

- Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic functional textiles and leather. Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability.

Special formula soluble in water-base. Environment friendly.

- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- It nourishes the outer material conserving the original flexibility.
- Environment friendly trigger spray without propellant gas
- Easy and quick to use



NOTE



MAPLUS®

MAFLON S.P.A - MAPLUS DIVISION
MAFLON S.p.A. - Via Soave , 7 - 20135 Milano (Mi)
PH. +39 035 4494383 - FAX +39 035 4425443
www.maplus.it - e-mail: info@maplus.it